RIEPILOGO DATI DI CATALOGO

Alpha Elettronica - Multifunction PoE and Networking Tool | Strumento multifunzione PoE e Networking

Codice prodotto	ALP94114
Produttore	Alpha Elettronica
Categoria	Attrezzatura / Strumenti / Reti LAN
Codice doganale	Da verificare

DESCRIZIONE

RIEPILOGO DATI DI CATALOGO

<p>The 94-114 is an advanced multifunctional tool designed for professionals in the networking and telecommunications industry. It offers a full range of features for installing, maintaining and troubleshooting network cabling.

Key Features:
- Cable Tracing: Easily locate shielded and unshielded network cables, ideal for cabling tasks, data center maintenance and equipment upgrades.
- Wire Mapping: Quickly identify CAT5/CAT6 cables and verify wiring sequences, detecting and fixing issues such as opens, shorts and reversals.
- Cable Length Measurement: Automatically measures cable length, making it easy to accurately determine length, with a range of 2.5 m to 200 m.
- Power over Ethernet (PoE) Test: Detects PoE devices, including non-standard and IEEE 802.3AF/IEEE 802.3AT, providing comprehensive PoE power detection.
- PING Test: Quickly assess network speed issues by running PING tests from multiple locations to measure the responsiveness of servers and websites.
- Port Flashing: Easily identifies connected ports on switches or routers via flashing indicator lights, providing additional information about port operating speeds and duplex modes.
- Non-Contact Voltage Tester: Improves safety during electrical work by identifying live equipment and detecting live wires and outlets, preventing potential hazards.
- High-Intensity LED Illumination: Equipped with built-in LED illumination with an electroplated reflector, improves visibility in dark or low-light environments.
- Long-lasting battery: Powered by a 3.7V 1,500mAh lithium polymer battery, it ensures extended periods of use, with convenient charging via Type-C.
With its color LCD screen and intuitive interface, the 94-114 represents a complete solution for network management and diagnosis, making it an indispensable tool for professionals in the sector.

General Characteristics
Detection: Cablaggio errato, Circuito aperto, Collegamenti invertiti, Continuità, Coppie aperte, Coppie cortocircuitate, Coppie incrociate, Coppie invertite, Coppie splittate, Mappatura cablaggio
Indication: LCD display
PoE Protection: 60V DC
Automatic Shutdown: Yes
Suitable For: For Networking cables, For LAN cables
Connections: RJ45, RJ11
Additional Functions: Flashlight
Autonomy: 6~8 ore
Included Accessories: Custodia, Cavo USB

Electrical Characteristics
Type of Power Supply: Rechargeable battery
Battery Type: Polimeri di Litio 3,7V 1500mAh
Batteries: Included

Mechanical Characteristics
Protection Degree: IP20
Dimensions: 35mm x 75mm x 150mm
Working Temperature: 0 / 45°C
Storage Temperature: -10 / 45°C

Measurement Characteristics
Cable length range test: 200
Cable tracking range test: 1000m con carico
Length: 5 ~ 200m

RIEPILOGO DATI DI CATALOGO

DATI DI CATALOGO

Sigla Metel	ALP
Codice Metel	ALP94114
Codice produttore	94-114
Marca	Alpha Elettronica Srl
Stato prodotto	Stato Metel 3
Data ultimo aggiornamento	LS
Data certificazione	2026-09-29
Data variazione	2026-10-01
EAN	8017443692862
Classe ETIM	EC000305
Versione ETIM	8
Prezzo pubblico	276.00
Valuta	EUR
Moltiplicatore prezzo	1
Unita misura	PCE
Lead time	4
Quantita minima	1
Quantita multipla	1
Quantita cartone	3
Codice doganale	Da verificare
Famiglia statistica	Attrezzatura / Strumenti / Reti LAN
Codice famiglia statistica	947-1289-1723
Keyword	Elettronica | Alpha elettronica | Alpha | Strumenti | Join | Alfa | Attrezzatura
Descrizione breve	Multifunction PoE and Networking Tool | Strumento multifunzione PoE e Networking

RIEPILOGO DATI DI CATALOGO

	The 94-114 is an advanced multifunctional tool designed for professionals in the networking and telecommunications industry. It offers a full range of features for installing, maintaining and troubleshooting network cabling. Key Features: - Cable Tracing: Easily locate shielded and unshielded network cables, ideal for cabling tasks, data center maintenance and equipment upgrades. - Wire Mapping: Quickly identify CAT5/CAT6 cables and verify wiring sequences, detecting and fixing issues such as opens, shorts and reversals. - Cable Length Measurement: Automatically measures cable length, making it easy to accurately determine length, with a range of 2.5 m to 200 m. - Power over Ethernet (PoE) Test: Detects PoE devices, including non-standard and IEEE 802.3AF/IEEE 802.3AT, providing comprehensive PoE power detection. - PING Test: Quickly assess network speed issues by running PING tests from multiple locations to measure the responsiveness of servers and websites. - Port Flashing: Easily identifies connected ports on switches or routers via flashing indicator lights, providing additional information about port operating speeds and duplex modes. - Non-Contact Voltage Tester: Improves safety during electrical work by identifying live equipment and detecting live wires and outlets, preventing potential hazards. - High-Intensity LED Illumination: Equipped with built-in LED illumination with an electroplated reflector, improves visibility in dark or low-light environments. - Long-lasting battery: Powered by a 3.7V 1,500mAh lithium polymer battery, it ensures extended periods of use, with convenient charging via Type-C. With its color LCD screen and intuitive interface, the 94-114 represents a complete solution for network management and diagnosis, making it an indispensable tool for professionals in the sector. General Characteristics Detection: Cablaggio errato, Circuito aperto, Collegamenti invertiti, Continuità, Coppie aperte, Coppie cortocircuitate, Coppie incrociate, Coppie invertite, Coppie splittate, Mappatura cablaggio Indication: LCD display PoE Protection: 60V DC Automatic Shutdown: Yes Suitable For: For Networking cables, For LAN cables Connections: RJ45, RJ11 Additional Functions: Flashlight Autonomy: 6~8 ore Included Accessories: Custodia, Cavo USB Electrical Characteristics Type of Power Supply: Rechargeable battery Battery Type: Polimeri di Litio 3,7V 1500mAh Batteries: Included Mechanical Characteristics Protection Degree: IP20 Dimensions: 35mm x 75mm x 150mm Working Temperature: 0 / 45°C Storage Temperature: -10 / 45°C Measurement Characteristics Cable length range test: 200 Cable tracking range test: 1000m con carico Length: 5 - 200m | Il tester 94-114 è uno strumento digitale multifunzionale avanzato progettato per professionisti nel settore delle reti e delle telecomunicazioni. Offre una gamma completa di funzionalità per l'installazione, la manutenzione e la

RIEPILOGO DATI DI CATALOGO

Completezza BMEcat	61